


Product Information

J1530 – EXO ultrabac RTU

Virucidal cleaner



Why to use it

- Kills enveloped viruses, including Coronavirus, HIV, Hepatitis C and Influenza viruses. Passes EN 1276, 13704, 14476 & 14675 Manufactured in the UK to ISO 9001, 14001 & 18001.
- EXO ultrabac cleans and sanitises frequently touched items such as door handles, tables, banisters etc. and is suitable for damp mopping floors.
- Independently proven to kill the HIV, Hepatitis C and H1N1 Influenza viruses.
- Also certified to kill Clostridium difficile, MRSA and common food poisoning bacteria including Salmonella typhimurium, Listeria monocytogenes and Escherichia coli.

Where to use it

EXO ultrabac is an essential everyday product in the fight against cross infection. It is particularly suitable for use in the care sector. Also ideal for use in all public places including schools, sports facilities, gym equipment, hotel washrooms, animal handling etc. Bleach free, non-hazardous, non-toxic and safe to use on all common water washable surfaces. EXO ultrabac is pleasantly perfumed and leaves a freshly cleaned fragrance to rooms.

How to use it

Wipe with a cloth and leave to air dry. Heavily soiled surfaces should be cleaned prior to disinfecting.

Hazard Symbols

not applicable

PPE Requirements



concept-O[®]
clean • green • hygiene

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name **EXO ultrabac RTU**
Product No. **J1530**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses virucidal cleaner

1.3. Details of the supplier of the safety data sheet

S&E CareTrade
Rathenraw Industrial Estate
Antrim, BT41 2SJ
United Kingdom
T: +44 28 94462233
E: msds@secaretrade.com

1.4. Emergency telephone number

07788 309 810

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (67/548/EEC)

2.2. Label elements

Detergent Labelling: < 5% perfumes
< 5% disinfectants

Risk Phrases NC Not classified.
Safety Phrases S2 Keep out of the reach of children.

2.3. Other hazards

No other hazards known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not Applicable

3.2. Mixtures

SODIUM CARBONATE		<0.5%
CAS-No.: 497-19-8	EEC (EINECS) No. 207-838-8	
Classification (EC 1272/2008)		Classification (67/548/EEC)
Eye irritation, category 2 - H319		Xi;R36

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

Inhalation General first aid, rest, warmth and fresh air.
Ingestion DO NOT INDUCE VOMITING!, Rinse mouth thoroughly., Drink plenty of water., Get medical attention., NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!
Skin contact Rinse with water., Get medical attention if any discomfort continues.

Eye contact Promptly wash eyes with plenty of water while lifting the eye lids., Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion Liquid irritates mucous membranes and may cause abdominal pain if swallowed., Diarrhoea., Nausea, vomiting.
 Skin contact Prolonged contact may cause dryness of the skin.
 Eye contact Irritation is likely.

4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media This product is not flammable., Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Unsuitable extinguishing media

5.3. Advice for firefighters

Special Fire Fighting Procedures Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8.

6.2. Environmental precautions

Any spillage needs to be contained and not allowed to enter water courses

6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk., Absorb in vermiculite, dry sand or earth and place into containers., Flush with plenty of water to clean spillage area., Do not contaminate water sources or sewer.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Eye protection should be considered where there is a risk of splashing. Rubber gloves and barrier cream are recommended when using any chemical.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place., Keep in original container.

7.3. Specific end use(s)

See product label for detailed usage and instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
SODIUM CARBONATE		5 mg/m3 resp.dust		

No exposure limits noted for ingredient(s).

8.2. Exposure controls

Protective equipment



Hand protection For prolonged or repeated skin contact use suitable protective gloves.
 Eye protection Safety glasses are not normally required. However their use is recommended where there is a risk of spray mist or splashing when using or handling product.
 Other Protection General workwear only

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Light (or pale), Purple.
Odour	floral
Relative density	1.000@20°C
pH-Value, Conc. Solution	9.5

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable under normal temperature conditions.

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

None known

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Strong acids., Strong alkalis.

10.6. Hazardous decomposition products

Not known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information	No toxicological data is available for this mixture, however data can be provided for specific raw materials upon request.
Ingestion	Liquid irritates mucous membranes and may cause abdominal pain if swallowed., Diarrhoea., Nausea, vomiting.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	Irritation is likely.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classed as Hazardous to the Environment but release to the environment should be avoided.

12.2. Persistence and degradability

Degradability The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility: The product contains substances, which are water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or PvB substances

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

General The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

14.2. UN proper shipping name

Proper Shipping Name: Not applicable

14.3. Transport hazard class(es)

Transport Labels Not Applicable

14.4. Packing group

14.5. Environmental hazards

Environmentally Hazardous substance/Marine Pollutant

14.6. Special precautions for user

Tunnel Restriction Code n/a

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

UK Regulatory References	The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
Environmental Listing	Rivers (Prevention of Pollution) Act 1961., Control of Pollution (Special Waste Regulations) Act 1980.
Statutory Instruments	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).
Approved Code Of Practice	Classification and Labelling of Substances and Preparations Dangerous for Supply.
Guidance Notes	Workplace Exposure Limits EH40., Introduction to Local Exhaust Ventilation HS(G)37., CHIP for everyone HSG (108). System of specific information relating to Dangerous Preparations. 2001/58/EC., Dangerous Preparations Directive 1999/45/EC., Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a

EU Legislation	European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments., Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
National Regulations	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007).

15.2. Chemical Safety Assessment

No chemical assessment has been carried out as this Safety Data Sheet is for a mixture

SECTION 16: OTHER INFORMATION

General information

The following risk phrases relate to the raw materials in the product and not the product itself:-

Revision Comments

Safety Data Sheet revised to be in accordance with EU Regulation No 453/2010 - REACH Regulations.

Revision Date 05/09/2011

Revision 3

Risk Phrases In Full R36 Irritating to eyes. |

Hazard Statements In Full H319 Causes serious eye irritation.

Code: **J1530**

EXO ultrabac

Perfumed Virucidal Cleaner

Application:

EXO ultrabac is an essential everyday product in the fight against cross infection. It is particularly suitable for use in the care sector. Also ideal for use in all public places including schools, sports facilities, gym equipment, hotel washrooms etc.

Table 1: Test Summary (See Table 2 for organism details)

Organism Group	Dilution	
	1:10	1:40
Common Food Poisoning Bacteria TEST: BS EN 1276	30 seconds	5 minutes
Common Healthcare Infections TEST: BS EN 1276	30 seconds	5 minutes
Enveloped viruses (e.g. Coronavirus, HIV, Hepatitis B & C) TEST: BS EN 14476		5 minutes

Table 2: Laboratory Test Results

Microorganism	Classification	Test Method	Tested by	Test temperature	Dilution	Conditions	Contact time	Result
<i>Staphylococcus aureus</i> NCIMB 9518	Bacteria	BS EN 1276	Internal UKAS	20°C	1/10	Dirty	30 seconds	Pass
<i>Enterococcus hirae</i> NCIMB 8192	Bacteria	BS EN 1276	Internal UKAS	20°C	1/10	Dirty	30 seconds	Pass
<i>Pseudomonas aeruginosa</i> NCIMB 10421	Bacteria	BS EN 1276	Internal UKAS	20°C	1/10	Dirty	30 seconds	Pass
<i>Escherichia coli</i> NCIMB 8879	Bacteria	BS EN 1276	Internal UKAS	20°C	1/10	Dirty	30 seconds	Pass
<i>Staphylococcus aureus</i> NCIMB 9518	Bacteria	BS EN 1276	Internal UKAS	20°C	1/40	Dirty	5 minutes	Pass

EXO ultrabac
19.05.20

Microorganism	Classification	Test Method	Tested by	Test temperature	Dilution	Conditions	Contact time	Result
<i>Enterococcus hirae</i> NCIMB 8192	Bacteria	BS EN 1276	Internal UKAS	20°C	1/40	Dirty	5 minutes	Pass
<i>Pseudomonas aeruginosa</i> NCIMB 10421	Bacteria	BS EN 1276	Internal UKAS	20°C	1/40	Dirty	5 minutes	Pass
<i>Escherichia coli</i> NCIMB 8879	Bacteria	BS EN 1276	Internal UKAS	20°C	1/40	Dirty	5 minutes	Pass
<i>Modified vaccinia virus</i> <i>Ankara (MVA)*</i> ATCC VR-1508	Enveloped Virus	BS EN 14476	External UKAS	20°C	1/40	Clean	5 minutes	Pass

* This product therefore is effective against all enveloped viruses as defined in EN 14476:2013 + A2:2019 Annex A. This therefore includes all coronaviruses and SARS-CoV-2.